


NOTES:

1. CONTRACTOR TO VERIFY ALL DIMENSIONS BEFORE FINAL FABRICATION.
2. ALL PIPING SHALL BE FABRICATED, INSTALLED AND TESTED PER AKZO SPECIFICATIONS.
3. INSULATION AND ELECTRICAL TRACING SHALL BE INSTALLED PER AKZO SPECIFICATION.
4. ALL ROTATING EQUIPMENT SHALL BE INSTALLED PER AKZO SPECIFICATION AND MANUFACTURER'S INSTRUCTION.
5. AKZO IS RESPONSIBLE FOR PLANT AIR, POTABLE WATER & FIRE PROTECTION TIE-IN POINTS. CONTRACTOR IS RESPONSIBLE FOR ROUTING OF 1 1/2" PLANT AIR & POTABLE WATER TO BLDG. 10, TRUCK UNLOADING AND NEW TANK FARM. CONTRACTOR IS RESPONSIBLE FOR ROUTING 4" FIRE PROTECTION LINE TO BLDG. 10.

0	ISSUED FOR CONSTRUCTION		JD3	4/16/03	TLM												
REV	DESCRIPTION		BY	DATE	APPROVAL												
<p>THIS DRAWING IS THE PROPERTY OF PENTA ENG. THE INFORMATION CONTAINED HEREON MAY NOT BE USED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF THE OWNER.</p> <p>SCALE 1/16" = 1'-0"</p> <p>DATE</p> <table border="1"><tr><td>DESIGNED BY</td><td>JD3</td><td>1/5/03</td></tr><tr><td>DRAWN BY</td><td>JD3</td><td>1/5/03</td></tr><tr><td>CHECKED BY</td><td>TLM</td><td>3/18/03</td></tr><tr><td>APPROVAL</td><td>AKZO NOBEL</td><td>3/21/03</td></tr></table> <p>APP'VD FILE NUMBER 533P0010</p>			DESIGNED BY	JD3	1/5/03	DRAWN BY	JD3	1/5/03	CHECKED BY	TLM	3/18/03	APPROVAL	AKZO NOBEL	3/21/03	PREPARED BY:		
			DESIGNED BY	JD3	1/5/03												
			DRAWN BY	JD3	1/5/03												
			CHECKED BY	TLM	3/18/03												
APPROVAL	AKZO NOBEL	3/21/03															
			<p>PENTA ENGINEERING, P.A. 7996 NORTH POINT BLVD. WINSTON-SALEM, NC 27106</p>														
			<p>AKZO NOBEL ROANOKE, VA</p>														
			<p>SITE PLAN</p>														
			PROJECT NO. 83533	DRAWING NO.	REV. NO.												
			CLIENT NO.	83533-P-001-D	0												

