



1. ALL PAVEMENT RESTORATION WITHIN THE RIGHT-OF-WAY SHALL BE COMPLETED PER THE REQUIREMENTS OF THIS DETAIL, AND AS SHOWN ON THE PLANS.

TRENCH WIDTH AND PIPE BEDDING SHALL BE IN ACCORDANCE WITH DETAIL G-11 OR G-12 AS APPLICABLE. **VDQT STD PB-1 SHALL NOT





. FILTER FABRIC TO BE INSTALLED BETWEEN BOTTOM OF PIPE AND STONE BEDDING. FABRIC TO EXTEND

CAPITOL FOUNDRY MH 2001

LABELED "WATER"

NON-WATERTIGHT FRAME & COVER

12" MAX. VERTICAL

PRECAST WATER VALVE VAULT

SEE GENERAL DETAIL

FILTER FABRIC

OR PRECAST MANHOLE SECTION(S

TRACER & GROUND WIRES

2" CLEARANCE FROM

OF VAULT CUT-OUT

TOP OF PIPE TO BOTTOM

SEE NOTE BELOW.

ADJUSTMENT

IF DEPTH EXCEEDS 5'

VERTICALLY A MINIMUM OF 6" FROM BOTTOM OF VAULT (FULL CIRCUMFERENCE).

GROUND BAR

SEE GENERAL

PROPOSED

VALVE

DETAIL

WESTERN VIRGINIA REGIONAL - CONSTRUCTION DETAIL

WATER LINE VALVE & VAULT


GROUND ROD


SEE GENERAL DETAIL


PAVEMENT 1


ADJUSTMENT RING -


6" COMPACTED














1. 2" COMBINATION AIR VALVES SHALL BE APCO 145C, A.R.I. D-040, VAL-MATIC 202C.2, OR EQUIVALENT. COPPER PIPING, FITTINGS, AND OTHER VALVES SHALL MATCH SIZE OF COMBINATION AIR VALVE.





WESTERN	VIRGINIA	WATER	AUTHORIT
601	South Jeffersor	n Street, Su	iite 300
	Roanoke, Vir	ginia 24011	

DES:	BF	SCALE:	N/A
DRAWN:	JES	HORIZ:	N/A
CHECK:	PJM	VERT:	N/A
DATE:	6/20/23		

		REV	DATE	D	ESCRIPTION
ANGEL LANE INTERCONNECTION				DRAWING	SHEET
	STANDARD DETAILS		C1.25		25