




KEY PLAN

Ex. Hyd 5012
— Static Pressure=82 psi
1655 gpm @ 20 psi

P.B. 13, PG. 194

GENERAL NOTES

1. THE CONTRACTOR SHALL CONTACT "MISS UTILITY" (1-800-552-7001) 48 HOURS PRIOR TO WORKING IN THE VICINITY OF THE EXISTING UTILITIES.
2. UNLESS OTHERWISE NOTED ALL LINEAR & RADIAL DIMENSIONS ARE TO THE FACE OF CURB OR EDGE OF SIDEWALK.
3. REFERENCE TO ARCHITECTURAL DRAWINGS FOR BUILDING LAYOUT AND DIMENSIONS.
4. ALL CONCRETE CURB SHALL BE CONSTRUCTED IN ACCORDANCE WITH VDOT STANDARDS.
5. ALL SITE LAYOUT SHALL BE PERFORMED BY A LICENSED SURVEYOR UTILIZING AN ELECTRONIC COPY OF THE PLANS. DIMENSIONS PROVIDED ARE OF A GENERAL NATURE. CURBS ONLY.
6. ALL CONCRETE JOINTS SHALL BE BEVELED. STANDARD JOINTS WILL NOT BE ACCEPTED (TYP).
7. PROVIDE 1/2" EXPANSION JOINT BETWEEN ALL FLATWORK EDGES AND BUILDINGS AND AT APPROXIMATELY 30' SPACING. ALLOW 1/2" AT TOP FOR SEALANT. PROVIDE SCORE JOINTS ELSEWHERE AS SHOWN.
8. ALL SIGNS, EXISTING OR PROPOSED, SHALL COMPLY WITH REQUIREMENTS STATED IN SECTION 30-93 OF THE ROANOKE COUNTY ZONING ORDINANCE.



10 CHURCH AVE SE, PLAZA SUITE 1, ROANOKE, VIRGINIA 24011 540.342.6001

SPECTRUM DESIGN PROJECT NO. 11048



DIMENSIONAL & UTILITY PLAN

C102

