

ROANOKE, VA CVS STORE #6296

SECTION A-A

SECTION B-B

NOSE DETAILS
TYPE A NOSE DETAIL SHALL BE USED WITH CG-7 STANDARD.
TYPE B NOSE DETAIL SHALL BE USED WITH CG-6 STANDARD.

GALVANIZED PLATE FOR TYPE A TO BE BENT ON AN ANGLE OF 54° AND IS TO BE ANCHORED WITH 1/2"X4" STUD SHEAR CONNECTORS WELDED TO BENT PLATE AT 2'C-C.

COLLAR


SECTION C-C

STANDARD CURB DROP INLET

- 48" PIPE: MAXIMUM DEPTH (H) = 9"


FRONT ELEVATION


SPECIFICATION REFERENCE



CONSULTANT:

KIMLEY-HORN AND ASSOC. 1500 FOREST AVENUE TEL (804) 673-3882 FAX (804) 673-3980





## OWNER/DEVELOPER:

THE REBKEE COMPANY 1020 OLD BON AIR ROAD RICHMOND, VA 23235 PHONE: (804) 560-0500 FAX: (804) 560-0778

**REVISIONS:** 

COUNTY COMMENTS 12/27/05

FINAL SUBMITTAL 01/18/06

LAYOUT COORD:	DBE
PLANNING MGR.	KDC
DRAWING BY:	DHL
DATE:	11/15/05
JOB NUMBER:	113001052
TITI F:	

UTILITY DETAILS

SHEET NUMBER:

C9 A

COMMENTS:

WVWA ID# 6QGM9D