

CARILION

Health System

CARILION MEDICAL CENTER CONSOLIDATION

CARILION ROANOKE MEMORIAL HOSPITAL

SITEWORK AND HOSPITAL PACKAGE

SITEWORK DRAWINGS

FOUNDATION SUBMITTAL



(CITY OF ROANOKE PHASE I APPROVAL SUBMITTAL)

AUGUST 30, 2004
HSMM COMM NO. 40044A

HSMM

ARCHITECTS ENGINEERS PLANNERS
HAYES, SEAY, MATTERN & MATTERN, INC.
1315 FRANKLIN ROAD
ROANOKE, VA 24016
(540) 857-3100 WWW.HSMM.COM

© Hayes, Seay, Mattern & Mattern, Inc., 2004. All rights reserved. This notice shall apply both to the design drawings and specifications, as well as to any facility constructed therefrom. Reproduction of drawings and other documents, including those in electronic format, prepared by HSMM and its consultants (collectively referred to hereafter as "Documents") in any form for any purpose other than in connection with the construction of the subject Project is strictly prohibited without the express written consent of HSMM. Such Documents are instruments of service intended for use solely with respect to the subject Project. Such Documents are not intended or represented to be suitable for reuse on extensions of the Project or on any other project. Any such reuse or modification without written verification or adoption by HSMM and its consultants, as appropriate for the specific purpose intended, will be at the user's sole risk and without liability or legal exposure to HSMM or its consultants. Submission or distribution of such Documents pursuant to regulatory requirements or for similar purposes is not to be construed as publication in derogation of reserved rights.

LOCATION MAP 	VICINITY MAP  SEE LOCATION MAP	GENERAL NOTES OR BUILDING REQUIREMENTS APPLICABLE CODES VIRGINIA UNIFORM STATEWIDE BUILDING CODE (2000 ADDITION) INTERNATIONAL MECHANICAL CODE (2000) INTERNATIONAL PLUMBING CODE (2000) VIRGINIA STATEWIDE FIRE PREVENTION CODE (2000 EDITION) LIFE SAFETY CODE, NFPA 101 (2000) CODE CRITERIA (IBC 2000 WITH VIRGINIA AMENDMENTS) BUILDING USE GROUP: 1-2 CONSTRUCTION CLASSIFICATION (TABLE 503): TYPE I-B OCCUPANTS (TABLE 1003.2.2.2) 4 BASED ON 300 QSF/PERSON FIRE RESISTANCE REQUIREMENTS (TABLE 601): THE EXISTING FACILITY'S FIRE RATINGS WILL BE MAINTAINED IN THE AREAS BEING REMODELED THE EXISTING BUILDING WILL BE FULLY SPRINKLERED IN ACCORDANCE WITH SECTION 903 (SECTION 903.2.3) EXIT TRAVEL DISTANCE: 250 FT MAXIMUM (TABLE 1004.2.4 EXCEPTION 1)	COVER SHEET AS BUILT 5/14/07 DEVELOPMENT PLAN APPROVED Agent, Planning Commission: <i>[Signature]</i> Date: <i>9/8/07</i> Development Engineer: <i>[Signature]</i> Date: <i>9/8/07</i> Zoning Administrator: <i>[Signature]</i> Date: <i>9/8/07</i> Any changes to this approved plan must be coordinated with the Agent to the Planning Commission and revisions approved prior to construction. G001
---	---	---	--

CONSULTANT
H&K
HELMUTH OBATA KASSABAUM INC.
10000 WOODBRIDGE BLVD
ST. LOUIS, MISSOURI 63122 USA

CARILION Health System
CMC CONSOLIDATION
CARILION ROANOKE MEMORIAL HOSPITAL
ROANOKE, VIRGINIA

HSMM
ARCHITECTS ENGINEERS PLANNERS
HAYES, SEAY, MATTERN & MATTERN, INC.
1315 FRANKLIN ROAD
ROANOKE, VA 24016
(540) 857-3100 WWW.HSMM.COM