



SPILLWAY ELEV. = 1170.00

PK NAIL
ING" PINE
PI STA 3+53.00 B B

FISHING PIER, SEE
DETAIL SH. No. 2

ADD BLACKTOP PAVED
WALK FROM E.P. TO PIER

E. P. A.
STA 5+73 B
STA 0+00 D

EDGE OF PAVEMENT (E.P.)

REMOVE FROM
& SHELTER

NEW 1 1/4" WATER MAIN.
NEW ELECTRIC SERVICE:
3#2 IN 1 1/4 RIGID STEEL
CONDUIT, UP POLE TO
WEATHERHEAD. LET WIRE
HANG OUT FOR APCo
CONNECTION

EXISTING FLOODLIGHT. POWER DISTRIBUTION
BOX ON POLE - PARKING LOT LIGHTS CONTROLLED
BY TWO CONTACTORS AND A TIME CLOCK IN THE
POWER BOX - TO REMAIN

BENCH MARK:
NAIL IN POWER POLE
ELEV. = 1180.33
STA. 3+36, 34' BT. B 'A'

20.17 NAIL & CAP
IN LIGHT POLE

PK NAIL IN 40/
APC 134-19 Q
PI STA 2+00 B A
PI STA 0+00 B B

14.50' PK NAIL
IN 12" PINE

PI STA 0+00 B 'A'

GENERAL NOTES

1. SURVEY INFORMATION TAKEN FROM SURVEY BY WEEKS HUBBLE MCGHEE, CERTIFIED LAND SURVEYORS, SALEM, VA. DATED AUG. 1984.
2. RECORD FLOOD ELEVATION IS 117
3. ALL EROSION CONTROL MEASURES SHALL CONFORM TO THE VIRGINIA EROSION AND SEDIMENT CONTROL HANDBOOK.
4. ALL GRADED AREAS SHOWN SHALL BE SEED.
5. ANY PAVEMENT DISTURBED BY THE CONTRACTOR WILL BE RETURNED TO ITS ORIGINAL CONDITION.
6. DO NOT REMOVE BLOCK SECURITY BUILDING UNTIL LAST ITEM OF WORK. FILL IN AREA- SMOOTH TO TIE INTO EXISTING GRADE & SEED.

SITE PLAN

SCALE: 1" = 30.0'

DATE	REV.	DESCRIPTION	BY
<i>Charles M. Huffine</i>			
			CITY ENGINEER
CONCESSION STAND			DRAWN - LBC
AND PIER AT			CHECKED
CARVINS COVE			APPROVED
FOR CITY OF ROANOKE			DATE 7-29-88
BOTETOURT COUNTY, VA			PLAN NO. 19-88 A
OFFICE OF CITY ENGINEER			SHEET
MUNICIPAL BUILDING, ROOM 350			1
215 CHURCH AVENUE, S.W.			OF 4
ROANOKE, VIRGINIA 24004			