


\* GRAVEL SHALL BE VDOT #3, #357 OR #5 COARSE AGGREGATE.


BLOCK AND GRAVEL DROP INLET SEDIMENT FILTER FILTERED WATER SPECIFIC APPLICATION THIS METHOD OF INLET PROTECTION IS APPLICABLE WHERE HEAVY FLOWS ARE EXPECTED AND WHERE AN OVERFLOW CAPACITY IS NECESSARY TO PREVENT EXCESSIVE PONDING AROUND THE STRUCTURE. \* GRAVEL SHALL BE VDOT #3, #357 OR #5 COARSE AGGREGATE. PLATE. 3.07-3


SOURCE: N.C. Erosion and Sediment Control Planning and Design Manual, 1988

PLATE 3.07-1 SOURCE: VA. DSWC

PLATE. 3.07-2 SOURCE: VA. DSWC







Lic. No. 0402046514

**ANDERSON & ASSOCIATES, INC.** Professional Design Services www.andassoc.com

100 Ardmore St. Blacksburg, Va. 24060 540-552-5592

DATE : 01 JUN 16 DESIGNED: BJM DRAWN : BJM CHECKED: DAA QA/QC : RSB

PLATE 3.07-6 SOURCE: USDA SCS

WESTERN VIRGINIA WATER AUTHORITY