#### GENERAL NOTES

PROVIDE NEW MATERIALS AND WORKMANSHIP IN CONFORMANCE WITH ALL APPLICABLE CODES, STATE AND FEDERAL LAWS, LOCAL ORDINANCES, INDUSTRY STANDARDS, AND OTHER CRITERIA WHICH WOULD NORMALLY APPLY TO WORK OF THIS NATURE. NOTIFY THE ENGINEER IMMEDIATELY UPON DISCOVERING A CONFLICT IN CODES, ORDINANCES, STANDARDS, OR OTHER CRITERIA. APPLICABLE CODES AND STANDARDS INCLUDE, BUT ARE NOT NECESSARILY LIMITED TO, THE FOLLOWING:

BOCA - BASIC CODES

ROANOKE CITY VDOT - VIRGINIA DEPARTMENT OF TRANSPORTATION

ROAD AND BRIDGE STANDARDS AND SPECIFICATIONS VIRGINIA EROSION AND SEDIMENT CONTROL REGULATIONS AND HANDBOOK

OSHA — OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION ASTM - AMERICAN SOCIETY FOR TESTING AND MATERIALS WVWA - WESTERN VIRGINIA WATER AUTHORITY

MAINTAIN A SET OF APPROVED PLANS ON SITE AT ALL TIMES DURING CONSTRUCTION.

OBTAIN EACH REQUIRED PERMIT PRIOR TO COMMENCING THAT PART OF THE WORK. PAY REQUIRED FEES.

NOTIFY THE ENGINEER IMMEDIATELY UPON DISCOVERY OF CONDITIONS WHICH DIFFER FROM THOSE SHOWN ON THE PLANS.

COMPLY WITH LOCAL ORDINANCES FOR BURNING OF WASTE. TRANSPORT WASTE

COORDINATE BUILDING DIMENSIONS WITH ARCHITECTURAL PLANS.

MATERIALS AND UNSUITABLE MATERIALS FROM OWNER'S PROPERTY.

A PRECONSTRUCTION MEETING MUST TAKE PLACE PRIOR TO COMMENCING WORK. AS A MINIMUM, THE CONTRACTOR, OWNER'S AGENT AND CITY'S AGENT MUST ATTEND.

VERIFY THE LOCATION AND ELEVATION OF EACH EXISTING UNDERGROUND UTILITY IN AREAS OF CONSTRUCTION PRIOR TO COMMENCEMENT OF WORK. CONTACT ENGINEER IMMEDIATELY IF THERE APPEARS TO BE A CONFLICT, UPON DISCOVERY OF A UTILITY WHICH IS NOT SHOWN, AND UPON DISCOVERY OF A LOCATION OR ELEVATION WHICH DIFFERS FROM THAT SHOWN. TO LOCATE UTILITIES, CALL "MISS UTILITY" 1-800-552-7001. UTILITY LOCATIONS SHOWN ARE THE RESULT OF A COMBINATION

OF FIELD LOCATION AND EXISTING INFORMATION. LOCATIONS ARE APPROXIMATE. REPAIR ALL DAMAGE TO ANY UTILITY, PUBLIC OR PRIVATE, CAUSED AS A RESULT OF

CONSTRUCTION ACTIVITIES, AT NO ADDITIONAL COST TO OWNER. NOTIFY OWNERS OF UTILITIES IN AREAS OF CONSTRUCTION PRIOR TO COMMENCEMENT OF EXCAVATION.

SIGNAGE SHALL COMPLY WITH THE APPLICABLE REGULATIONS OF THE CITY. A SEPARATE PERMIT IS REQUIRED.

ANY SITE DEVELOPMENT OUTSIDE OF THE SCOPE OF THIS PLAN WILL REQUIRE SITE PLAN REVIEW.

### WESTERN VIRGINIA WATER AUTHORITY NOTES

AVAILABILITY NUMBER: 07-177

LINES SHALL BE STAKED PRIOR TO CONSTRUCTION.

A PRE-CONSTRUCTION MEETING SHALL BE SCHEDULED WITH THE WESTERN VIRGINIA WATER AUTHORITY TO BE HELD AT LEAST ONE (1) DAY PRIOR TO ANY CONSTRUCTION OF THE APPROVED WATER AND SANITARY SEWER FACILITIES.

A MINIMUM COVER OF THREE (3) FEET IS REQUIRED OVER PROPOSED LINES.

ALL SANITARY SEWER AND WATER CONNECTIONS TO EXISTING LINES SHALL BE JOORDINATED WITH AND PERFORMED BY THE WESTERN VIRGINIA WATER AUTHORITY CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING AND UNCOVERING VALVE VAULTS, MANHOLES, ETC. AFTER PAVING AND ADJUSTING TO FINAL GRADE IF NECESSARY.

ALL EXISTING UTILITIES MAY NOT BE SHOWN OR MAY NOT BE SHOWN IN THE EXACT LOCATION. THE CONTRACTOR SHALL COMPLY WITH THE STATE WATER WORKS REGULATIONS, SECTION 12.05.03, WHERE LINES CROSS.

ALL TRENCHES IN EXISTING OR FUTURE HIGHWAY RIGHT-OF-WAYS SHALL BE COMPACTED ACCORDING TO VIRGINIA DEPARTMENT OF TRANSPORTATION'S STANDARDS.

CONTRACTOR SHALL REFER TO THE WESTERN VIRGINIA WATER AUTHORITY STANDARD WATER AND SEWER REGULATIONS FOR CONSTRUCTION DETAILS AND INSTALLATION METHODS AS REQUIRED TO COMPLETE THE PROPOSED UTILITY FACILITIES AS INDICATED BY THESE DRAWINGS.

FIELD CORRECTIONS SHALL BE APPROVED BY THE WVWA ENGINEERING DIVISION PRIOR TO SUCH CONSTRUCTION.

THE CONTRACTOR SHALL PROVIDE THE WESTERN VIRGINIA WATER AUTHORITY WITH CORRECT AS-BUILT PLANS PRIOR TO SUBSTANTIAL COMPLETION OF ANY NEW PUBLIC EXTENSIONS.

WATER MAINS SHALL BE MINIMUM CLASS 350 DUCTILE IRON IN ACCORDANCE TO AWWA C151 OR DR-14 PVC IN ACCORDANCE WITH AWWA C-900.

WATER LATERALS FROM THE METER TO THE BUILDING SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE INTERNATIONAL BUILDING CODE.

THE CONSTRUCTION OF THE PROPOSED PUBLIC WATER MAIN AND ALL COMMERCIAL SERVICES SHALL BE IN COMPLIANCE WITH THE CURRENT WESTERN VIRGINIA WATER AUTHORITY REGULATIONS. REFER TO THESE REGULATIONS FOR COMPLETE DETAILS AND INSTALLATION METHODS.

LATERALS FROM MANHOLES SHALL BE PVC OR DUCTILE IRON OF SUFFICIENT LENGTH TO PROVIDE TWO (2) FEET OF BEARING ON NATURAL GROUND.

THE LATERALS AND REQUIRED FITTINGS LOCATED WITHIN A PUBLIC RIGHT-OF-WAY OR PUBLIC EASEMENT SHALL BE OF THE SAME TYPE OF MATERIAL AS THE MAINLINE SEWER PIPELINE.

THE CONSTRUCTION OF THE PROPOSED PUBLIC SEWER MAIN AND ALL COMMERCIAL SERVICES SHALL BE IN COMPLIANCE WITH THE CURRENT WESTERN VIRGINIA WATER AUTHORITY REGULATIONS. REFER TO THESE REGULATIONS FOR COMPLETE DETAILS AND INSTALLATION METHODS.

ALL SANITARY SEWER PIPING SHALL BE PVC (POLYVINYL CHLORIDE) MANUFACTURED IN ACCORDANCE WITH ASTM DESIGNATION 3034-77 (SDR 35) UNLESS OTHERWISE NOTED ON THE PLANS/PROFILES.

ALL MANHOLE FRAMES AND COVERS SHALL BE WATERTIGHT AND ALL COVERS SHALL BE BOLT-DOWN MANHOLE COVERS (SEE DETAIL S-05 AND S-06) WHERE APPLICABLE.

#### SHEET INDEX

C-12

FINISHED FLOOR

HOMEOWNERS ASSOCIATION

MINIMUM BUILDING LINE

FINISH GRADE

INTERSECTION

HIGH POINT

IRON PIN

HOA

HPT

MBL

SHEET	TITLE	
C-1	COVER SHEET	
C-2	<b>EXISTING CONDITIONS &amp; DEMOLITION PLAN</b>	1
C-3	LAYOUT & UTILITY PLAN	
C-4	GRADING PLAN	
C-5	EROSION & SEDIMENT CONTROL PLAN	
C-6	EROSION & SEDIMENT CONTROL DETAILS	
C-7	LANDSCAPE PLAN	
C-8	UTILITY PROFILES	
C-9	NOTES	
C-10	DETAILS	
C-11	WVWA DETAILS	

LIGHTING PLAN



### **ABBREVIATIONS**

AHFH	ARROW HEAD TOP OF FIRE HYDRANT	МН	MANHOLE
		MIN	MINIMUM
	APPROXIMATE	MON	MONUMENT
ASPH	ASPHALT	NBL	NORTH BOUND LANE
BC		PROP	
BIT	BITUMINOUS	PUE	PUBLIC UTILITY EASEMENT
BLDG	BUILDING	PVMT	PAVEMENT
BLK	BLOCK	R	RADIUS
ВМ	BENCHMARK	RT	RIGHT
BW	BOTTOM OF WALL	R.O.W.	RIGHT OF WAY
CB	CINDER BLOCK	REQD	REQUIRED
C&G	CURB & GUTTER	RR	RAILROAD
CMP	CORRUGATED METAL PIPE	RYS	REAR YARD SETBACK
CONC	CONCRETE	SAN	SANITARY
COR	CORNER	SBL	SOUTH BOUND LANE
DBL.	DOUBLE	SD	STORM DRAIN
DEFL	DEFLECTION	SECT	SECTION
DI	DROP INLET	SE	SLOPE EASEMENT
DIA	DIAMETER	SS	SANITARY SEWER
DE	DRAINAGE EASEMENT	SSE	SANITARY SEWER EASEMENT
ELEC	ELECTRIC	STA	STATION
ELEV	ELEVATION	STD	STANDARD
ENTR	ENTRANCE	STO	STORAGE
EP	EDGE OF PAVEMENT	SYS	SIDE YARD SETBACK
EW	ENDWALL	TBM	TEMPORARY BENCHMARK
EXIST	EXISTING	TC	TOP OF CURB
FDN	FOUNDATION	TEL	TELEPHONE

# STANDARD CITY OF ROANOKE

NOTICE\_TO\_ALL\_LANDOWNERS, DEVELOPERS, AND CONTRACTORS: FAILURE TO COMPLY WITH THE CONSTRUCTION PROCEDURE REQUIREMENTS LISTED ABOVE MAY RESULT IN THE COSTLY REMOVAL OF STRUCTURES. TIME DELAYS, OR THE ISSUANCE OF A STOP WORK ORDER.

CONSTRUCTION PROCEDURE REQUIREMENTS

TYP

RIGHT-OF-WAY EXCAVATION PERMIT: PRIOR TO THE COMMENCEMENT OF ANY DIGGING, ALTERATION. OR CONSTRUCTION WITHIN THE PUBLIC RIGHT-OF-WAY (STREETS, ALLEYS, PUBLIC EASEMENTS), A RIGHT-OF-WAY EXCAVATION PERMIT SHALL BE APPLIED FOR AND OBTAINED BY THE CONTRACTOR FROM THE CITY OF ROANOKE.

LAND DISTURBANCE PERMIT: AN APPROVED EROSION AND SEDIMENT CONTROL PLAN FOR ANY BORROW/FILL SITES ASSOCIATED WITH THE PROJECT MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A LAND DISTURBANCE PERMIT

PLANS AND PERMITS: A COPY OF THE PLANS AS APPROVED BY THE CITY OF ROANOKE (SIGNED BY THE PROPER CITY OFFICIALS) AND ALL PERMITS ISSUED BY THE CITY SHALL BE MADE AVAILABLE AT THE CONSTRUCTION SITE AT ALL TIMES OF ONGOING CONSTRUCTION.

LOCATION OF UTILITIES: THE CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO THE COMMENCEMENT OF ANY CONSTRUCTION.

CONSTRUCTION ENTRANCE: THE CONTRACTOR SHALL INSTALL AN ADEQUATE CONSTRUCTION ENTRANCE FOR ALL CONSTRUCTION RELATED EGRESS FROM THE SITE. SIZE AND COMPOSITION OF THE CONSTRUCTION ENTRANCE SHALL BE AS SHOWN ON THE PLANS.

STREETS TO REMAIN CLEAN: IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO INSURE THAT THE PUBLIC STREET ADJACENT TO THE CONSTRUCTION ENTRANCE REMAINS FREE OF MUD, DIRT, DUST, AND/OR ANY TYPE OF CONSTRUCTION MATERIALS OR LITTER AT ALL TIMES.

BARRICADES/DITCHES: THE CONTRACTOR SHALL MAINTAIN THE INTEGRITY OF ALL EXCAVATED DITCHES AND SHALL FURNISH AND ENSURE THAT ALL BARRICADES PROPER AND NECESSARY FOR THE SAFETY OF THE PUBLIC ARE IN PLACE.

SEWER AND PAVEMENT REPLACEMENT: CONSTRUCTION OF SANITARY SEWERS AND THE REPLACEMENT OF PAVEMENT SHALL BE IN ACCORDANCE WITH APPROVED STANDARDS AND SPECIFICATIONS OF THE CITY OF ROANOKE AND THE WESTERN VIRGINIA WATER AUTHORITY.

APPROVED PLANS/CONSTRUCTION CHANGES: ANY CHANGE OR VARIATION FROM CONSTRUCTION DESIGN AS SHOWN ON THE OFFICIALLY APPROVED PLANS SHALL BE APPROVED BY THE EROSION AND SEDIMENT CONTROL AGENT PRIOR TO SAID CHANGES OR VARIATION IN CONSTRUCTION BEING MADE.

FINAL ACCEPTANCE/CITY: THE OWNER OR DEVELOPER SHALL FURNISH THE CITY OF ROANOKE'S PLANNING BUILDING AND DEVELOPMENT DEPARTMENT WITH A FINAL CORRECT SET OF AS-BUILT PLANS PRIOR TO FINAL ACCEPTANCE BY THE CITY.

NOTE: WORK WITH CITY RIGHT OF WAY IS TO BE PERFORMED PER THE CITY OF ROANOKE RIGHT OF WAY EXCAVATION AND RESTORATION STANDARDS

### LEGEND

MINIMUM	A A A A	CONCRETE	Ġ	EX. POWER POLE	ď	YARD LIGHT (S.M.H.)
MONUMENT NORTH BOUND LANE		ASPHALT PAVING	T	EX. TELEPHONE	0	TYPICAL YARD HYDRANT
PROPOSED PUBLIC UTILITY EASEMENT		PAVEMENT REPLACEMENT	¤	EX. LIGHT POLE	<del>-</del>	PROP. FIRE HYDRANT
PAVEMENT RADIUS RIGHT	F. S. OHO	GRAVEL	$\stackrel{\wedge}{\Longrightarrow}$	BENCHMARK	$\succ$	PROP. SIAMESE CONNECTION
RIGHT OF WAY REQUIRED		PAVERS			8	PROP. GATE VALVE
RAILROAD REAR YARD SETBACK		WETLAND AREA				
SANITARY SOUTH BOUND LANE STORM DRAIN		- PROPERTY LINE		T	PF	ROP. TELEPHONE LINE
SECTION SLOPE EASEMENT	ОНР	- EXIST. OVERHEAD POW	ER		PF	ROP. GAS LINE
SANITARY SEWER SANITARY SEWER EASEMENT	8"w	- EXIST. WATER LINE		——— P ———	PF	ROP. UNDERGROUND POWER
STATION STANDARD	o.h.tv-	- EXIST. OVERHEAD CABLE	Ξ	8"W	PF	ROP. WATERLINE
STORAGE SIDE YARD SETBACK		- EXIST. CENTERLINE OF I	ROAD		— PF	ROP. SANITARY SEWER LINE .
TEMPORARY BENCHMARK TOP OF CURB	—— 18"гср —	- EXIST. STORM SEWER			_ PF	ROP. STORM SEWER LINE
TELEPHONE TRANSFORMER		- EXIST. SANITARY SEWE	R		– Př	ROP. CONTOURS
TOP OF WALL TYPICAL	~~~~	EXIST. TREELINE		348	– E>	KIST. INTERMEDIATE CONTOURS
VIRGINIA DEPARTMENT OF TRANSPORTATION		- EXIST, EDGE OF PAVEME	ENT	——— <i>345</i> ——	– EX	KIST. INDEX CONTOURS
VERTICAL WEST BOUND LANE	<u></u>	<ul> <li>WETLAND BOUNDARY</li> </ul>		× <i>348.55</i>	ΕX	KIST. SPOT ELEVATION
WESTERN VIRGINIA WATER AUTHORITY	5144			TC=351.95		

## ENGINEERS NOTES

---- RMA---- RESOURCE MANAGEMENT AREA BOUNDARY

---- RPA---- RESOURCE PROTECTION AREA BOUNDARY


BALZER AND ASSOCIATES. INC. ASSUMES NO RESPONSIBILITY FOR ADEQUACY OF PLANS OR FOR INFORMATION ON PLANS UNTIL SUCH PLANS HAVE BEEN APPROVED BY THE REQUIRED PUBLIC AGENCIES.

ANY WORK COMMENCED ON A PROJECT PRIOR TO PLAN APPROVAL IS AT SOLE RISK OF THE DEVELOPER. BALZER AND ASSOCIATES, INC. WILL NOT BE RESPONSIBLE FOR THE CONTRACTORS FAILURE TO CARRY OUT THE WORK IN ACCORDANCE WITH THE PLANS OR WILL NOT BE RESPONSIBLE FOR ACTS OR OMISSIONS OF THE CONTRACTOR, SUBCONTRACTORS, OR THEIR AGENTS OR EMPLOYEES, OR OF ANY OTHER PERSONS PERFORMING PORTIONS OF THE WORK.

SOURCE OF TOPOGRAPHIC MAPPING AND BASE INFORMATION IS A SURVEY PERFORMED BY BALZER & ASSOCIATES

"RESPO RESPON EROSION SHOWN.	
0.0	JRE:
	NAME:
	CATE DATE:
TELEPH	ONE NUMBER:
ADDRES	S:

REGISTERED LAND DISTURBER



PROP. TREELINE

DEVELOPMENT PLAN APPROVED (seonges Newmak Zoning Administrator / WNON ( Sundans 126-07 Any changes to this approved plan must be coordinated with the Ago and Planning Commission and revisions approved prior · construction.

APPROVAL BLOCK

DEC 1 2 2007

Received WVWA - Engineering

No. 033058

REFLECTING TOMORROW www.balzer.cc PLANNERS • ARCHITECTS ENGINEERS • SURVEYORS

1208 Corporate Circle Roanoke, Virginia 24018 Phone: 540/772-9580 FAX: 540/772-8050

501 Branchway Road Richmond, Virginia 23236 Phone. 804/794-0571 FAX: 804/794-2635

880 Technology Park Drive Sulte 200 Glen Allen, Virginia 23059 Phone. 804/553-0132

448 Peppers Ferry Road, NW Christiansburg, Virginia 24073 Phone: 540/381-4290

FAX: 540/381-4291

1561 Commerce Road Verona, Virginia 24482 Phone: 540/248-3220

FAX: 540/248-3221

PROP. TOP & BOTTOM OF CURB

SHE

JOB NO. R0500329.00