SOURCE: ADAPTED from 1983 Maryland Standards for Soil erosion and Sediment Control, and Va. DSWC

Plate 3.02-1

TYPE B (SLOPES 34 OR STEEPER)







PLATE. J.05-2


SOURCE: Adapted from <u>installation of Straw and Fabric Filter Barriers for Sediment Control</u>,VA. DSWC Sherwood and Wyant












ediment sion



REVISED: 07/13/07 09/14/07 10/22/07

DESIGNED/CALC.MGG,AMC CHECKED: ROM DRAWN: AMC,PLJ SCALE: DATE:

JOB NO. SHEET 7 OF 32

15 MARCH TO 1 MAY CROWN VETCH @ 1/2 LB / 1000 SF F PERENNIAL RYEGRASS @ 1/2 LB / 1000 SF RED TOP @ 1/8 LB / 1000 SF K-31 FESCUE @ 5 LB / 1000 SF BURZY WINTER RYE @ 1/2 LB / 1000 SF 1 FEBRUARY TO 1 JUNE K-91 FESCUE @ 5 LB / 1000 SF ANNUAL RYE @ 1/2 LB / 1000 SF 15 AUGUST TO 1 DCTDBER
CROWN VETCH @ 1/2 LB / 1000 SF
PERENNIAL RYEGRASS @ 1/2 LB / 1000 SF
RED TOP @ 1/8 LB / 1000 SF 1 JUNE TO 1 SEPTEMBER K-31 FESCUE @ 5 LB / 1000 SF GERMAN NILLET @ 1/2 LB / 1000 SF 1 SEPTEMBER TO 15 OCTOBER K-31 FESCUE @ 5 LB / 1000 SF ANNUAL RYE @ 1/2 LB / 1000 SF LIME: 140 LB / 1000 SF PULVERIZED AGRICULTURAL LIMESTONE FERTILIZER: 5-20-10 @ 25 LB / 1000 SF IF REQUIRED, SHALL BE USED OVER ALL SEEDED AREAS AND SHALL BE APPLIED IN ACCORDANCE WITH SECTION 1.75 OF THE VIRGINIA EROSION AND SEDIMENT CONTROL HANDBOOK, LATEST EDITION. MULCH

BY THE INSPECTOR. MAXIMUM SEEDING DEPTH SHALL BE 1/4 INCH.

SEEDING SCHEDULE

PERMANENT SEEDING MIXTURE 15 OCTOBER TO 1 FEBRUARY

SOIL CONDITIONING INCORPORATION OF LIME AND FERTILIZER, SELECTION OF CERTIFIED SEED, MULCHING, MAINTENANCE OF NEW SEEDLINGS, AND RESEEDING

SHALL BE IN ACCORDANCE WITH SPECIFICATIONS CONTAINED WITHIN

THE VIRGINIA SOIL EROSION AND SEDIMENT CONTROL HANDBOOK, LATEST EDITION, ADDITIONAL SEEDING TO BE PERFORMED AS REQUIRED SEED APPLICATION APPLY SEED UNIFORMLY WITH A CYCLONE SEEDER, DRILL, CULTIPACKER SEEDER, OR HYDROSEEDER ON A FIRM, FRIABLE, SEEDBED.

TUTAL DISTURBED AREA = 9.040 AC. = 393,779 S.F.