GENERAL NOTES

PRE-CONSTRUCTION MEETING AND CONSTRUCTION COMMENCEMENT:

- . All construction methods and materials shall conform to the Construction Standards and Specifications of Roanoke County, the Western Virginia Water Authority, and the Virginia Department of Transportation.
- 2. Stormwater Management Agreements with an attached 8 1/2" x 11" or 8 1/2" x 14" plat must be approved and recorded prior to the pre-construction meeting.
- 3. Once all required items are submitted to the County of Roanoke, the developer must contact the Development Review Coordinator to indicate that a pre-construction meeting needs to be scheduled. The pre-construction meeting will be scheduled with the owner/developer two (2) working days later.
- 4. Please note the 2001 General Assembly revisions to Va Erosion and Sediment Control Law. Effective July 1, 2001, all land disturbing projects that require approval of an erosion and sediment control plan, grading or clearing permit shall require that the applicant provide the name of an individual who will be responsible for land disturbing activities and that this individual hold a Responsible Land Disturber (RLD) Certificate from the Department of Conservation and Recreation. The Responsible Land Disturber can be anyone from the Project team that is certified by the State of Virginia to be in charge of carrying out the land disturbing activity for the project.
- 5. It is the responsibility of the owner/developer to notify the certified Responsible Land Disturber and the Utility Contractor to attend the pre-construction meeting.
- 6. The Development Review Coordinator will schedule the pre-construction meeting with the County Review Engineer, the County Inspector, and the Western Virginia Water Authority and the Town of Vinton Public Works Department if applicable.
- 7. An approved set of plans and all permits must be available at the construction site
- 8. The developer and/or contractor shall supply all utility companies with copies of approved plans, advising them that all grading and installation shall conform to approved plans.
- 9. The project engineer will inform the owner/developer verbally and in writing of the County's obligation to perform inspections on site. Everyone in the meeting will be required to sign a pre-construction checklist indicating their knowledge of Roanoke County's obligation to perform inspections on site.
- 10. The Erosion Control Permit is given to the developer at this pre-construction meeting
- 11. The developer MUST contact the project inspector 24 hours before beginning any grading or construction on the property.
- 12. The project inspector will visit the site within 48 hours of the developer's call to ensure that all necessary erosion and sediment control measures are properly installed according to the approved plan.
- 13. All work shall be subject to inspection by Roanoke County, the Western Virginia Water Authority and the Virginia Department of Transportation Inspectors.
- 14. Contractors shall notify utilities of proposed construction at least two (2), but not more than ten (10) working days in advance. Area public utilities may be notified thru "Miss Utility": 1-800-552-7001.
- 15. 100 year Floodway and Floodplain information shall be shown where applicable. FIRM Index Date shall be shown on the plans. The 100 year Floodway shall be staked prior to any construction.
- 16. Grade stakes shall be set for all curb and gutter, culvert, sanitary sewer and storm sewer at all times of construction.
- 17. The Department of Community Development shall be notified when a spring is encountered during construction.
- 18. Construction debris shall be containerized in accordance with the Virginia Litter Control Act. No less than one litter receptacle shall be provided on site.
- 19. The contractor shall provide adequate means of cleaning mud from trucks and/or other equipment prior to entering public streets or rights of ways. It is the contractors responsibility to insure that the streets are in a clean, mud and dust free condition at all times.
- 20. Plan approval in no way relieves the developer or contractors of the responsibilities contained within the erosion and sediment control policies.
- 21. Field construction shall honor proposed drainage divides as shown on plans.
- 22. Field corrections shall be approved by the Roanoke County Engineering Division and/or the Western Virginia Water Authority and the Professional of Record. prior to such construction.
- 23. The developer or contractor shall supply the County and the Western Virginia Water Authority with correct As-Built plans before final acceptance.


VIRGINIA DEPARTMENT OF TRANSPORTATION:

- 24. Plan approval by Roanoke County does not guarantee issuance of any permits by the Virginia Department of Transportation.
- 25. A permit must be obtained from the Virginia Department of Transportation, Salem Residency Office prior to construction in the highway right-of-way.
- 26. The preliminary pavement designs should be based on a predicted sub-grade CDR value of 7.0 and with a Resiliency Factor (RF) of 2.0 as shown in Appendix I of the 2000 Virginia Department of Transportation Pavement Design Guide for Subdivision and Secondary Roads. The sub-grade soil is to be tested by an independent laboratory and the results submitted to the Virginia Department of Transportation prior to base construction. Should the sub-grade CBR value and/or the RF value be less than the predicted values, additional base material will be required in accordance with Departmental specifications. Refer to the same manual as the number and locations of the required soil samples to be tested. All pavement designs shall be submitted to the Department for review and approval. The sub-grade shall be approved by the Virginia Department of Transportation prior to placement of the base. Base shall be approved by the Virginia Department of Transportation for depth, template, and compaction before the surface is applied.
- 27. Standard guardrail with safety end sections may be required on fills or in areas where hazards exist as deemed necessary. After completion of rough grading operations, the County Engineer and Virginia Department of Transportation shall be contacted to schedule a field review. Where guard rail is warranted, the standard shoulder width shall be provided and the guard rail shall be installed in accordance with the 2001 VDOT Road and Bridge Standards as part of this development.
- 28. Standard street and traffic control signs shall be erected at each intersection by the developer prior to final street acceptance.
- 29. All traffic devices shall be in accordance with current edition of the manual: "Uniform Traffic Control Devices (MUTCD)"
- 30. All unsuitable material shall be removed from the construction limits of the roadway before placing embankment.
- 31. The Project Engineer shall provide electronic copies of the approved plans to the Development Review Coordinator within 5 working days of the pre-construction meeting.
- 32. Underground utilities installed on private property or in private utility easements and building related storm drains shall be designed and installed per the current edition of the Virginia Uniform Statewide Building Code. Design and installation requirements issued by the Western Virginia Water Authority that meet or exceed the USBC requirements are acceptable for private utilities. All private utilities are to be permitted through and inspected by the Roanoke County Inspections Office. Vaults, valves and other devices installed by or under the control of the Western Virginia Water Authority may not substituted for the code required devices.



County of Roanoke, Virginia

NAME OF DEVELOPMENT	Kessler Mill Road Sewer Extension			I, E OWNER/DEVELOPER, AM AWARE OF THE SITE DESIGN REQUIREMENTS IMPOSED BY THIS SITE DEVELOPMENT PLAN AND OTHER APPLICABLE ROANOKE COUNTY CODES.
MAGISTERIAL DISTRICT(S)	Catawba Mag	gisterial Distric	t	I HEREBY CERTIFY THAT I AGREE TO COMPLY WITH THESE REQUIREMENTS AND THE THIRTY (30) POINTS SHOWN ON THIS COVER SHEET UNLESS MODIFIED IN ACCORDANCE WITH LOCAL LAW.
OWNER (name, address, telephon	e) Everett J Miles, Sr.	. C/o Hanging Rock	Properties, Inc, 18	312 Thompson Memorial Drive, Roanoke, VA 24019
DEVELOPER (name, address, tele	ephone) E.J. Miles, Sr.,	Green Planet, Inc,	WVWA, & Roano	ke County
ENGINEER, ARCHITECT OR SUF	RVEYOR (name, address, telephone)	ACS DESIGN 2203 Peters Creek Road Roanoke, Virginia 24017	Ph: 540-562-2345 Fax: 540-562-2344 Email: dearly@acsdesign	nllc.com



Sheet Index Cover Sheet Plan Sheet Layout & Notes **Erosion Control Notes & Details** Gravity Sewer Plan & Profile Gravity Sewer Plan & Profile Gravity Sewer Plan & Profile

Approved	for	Construction	by	WVWA:	,
, ippi o roa	101		$\mathbf{v}_{\mathbf{y}}$	* * * * * * * * * * * * * * * * * * * *	

Sanitary Sewer Details

Sanitary Sewer Details

Executive Director of Water	Date
Executive Director of Wastewater	/১/২৭/ <u>০</u> 9 Date
of Am	10.29.09
Director of Engineering Services	Date

SURVEY INFORMATION

Horizontal and vertical control surveys were performed in year: September 2009

Western Virginia Water Authority

Availability letter number: _


y: ACS DESIGN			
ll vertical elevations must be r Il horizontal elevations must b			Vertical Datum of 1929 or 1988. Datum of 1927 or 1983.
ource of topographic mapping	g is: Roanoke Cour	nty GIS Mappi	ng & ACS DESIGN Field Topo
oundary was performed by	ACS DESIGN	dated:	September 2009
enchmark Information: TBM Recreation Facility Entrand			nce to Roanoke County Parks shown throughout plans.
· · · · · · · · · · · · · · · · · · ·			· ·
he professional seal and signale accurate and correct.	ature certifies the bou	indary survey a	and topographic mapping to


QUANTITY	UNIT	UNIT PRICE	COST	BONDABLE
	ACRES			
	C.Y.			
,	C.Y.			
	EACH			
	EACH			
	EACH			
	EACH			
	LIN. FT.			
	LIN. FT.			
	LIN. FT.			
	LIN. FT.			
	LUMP SUM			
	LIN. FT.			
	S.F.			
	S.Y.			
	EACH			
	EACH			
	LIN. FT.			
	LIN. FT.			
	EACH		J	
	S.Y.			
	S.Y.			
	C.Y.			
	C.Y.			
1	Lump Sum	\$2500.00	\$2500.00	·
	LIN. FT.			
	LIN. FT.			
		1		
.,	EACH			
2498	LIN. FT.	\$53.75	\$134,267.50	
189	LIN, FT.	\$53.75	\$10,158.75	
1	EACH	\$2500.00	\$2500.00	
60	LIN. FT.	\$150.00	\$9000.00	
15	EACH	\$1200.00	\$18.000.00	
	EACH		1	
1	LUMP SUM	\$2500.00	\$2500.00	
150	TONS	\$33.33	\$5000.00	
	LUMP SUM			
				<u> </u>
	LUMP SUM			1
	LUMP SUM			
	30141			<u> </u>
			\$183,926.25	<u> </u>
			\$183,926.25 \$7500.00	
			ψι υυυ. υ υ	
	ĺ	1	į.	Į.
			\$191,426.25	
			\$191,426.25	
			\$191,426.25	
	2498 189 1 60 15	C.Y. C.Y. EACH EACH EACH LIN. FT. LIN. FT. LIN. FT. LIN. FT. LIN. FT. S.F. S.Y. EACH EACH EACH LIN. FT. LIN. FT. LIN. FT. 1 LIN. FT. LIN. FT. LIN. FT. S.F. S.Y. S.Y. EACH EACH LIN. FT. EACH S.Y. S.Y. S.Y. S.Y. S.Y. S.Y. S.Y. LIN. FT. LUMP SUM LUMP SUM LUMP SUM LUMP SUM LUMP SUM	C.Y. C.Y. C.Y. EACH EACH EACH EACH LIN. FT. LIN. FT. LIN. FT. LIN. FT. S.F. S.Y. S.Y. EACH EACH EACH EACH EACH LIN. FT. LIN. FT. LIN. FT. LIN. FT. LIN. FT. S.F. S.Y. S.Y. EACH EACH S.Y. S.Y.	G.Y. G.Y. EACH EACH EACH EACH LIN. FT. LIN. FT. LIN. FT. LIN. FT. S.F. S.Y. S.

ENGINEERING - SURVEYING PLANNING

CONSTRUCTION MANAGEMENT

2203 PETERS CREEK ROAD ROANOKE, VIRGINIA 24017 P 540.562.2345 F 562.2344 INFO@ ACSDESIGNLLC.COM WWW . ACSDESIGNLLC.COM





0

AS - BUILT

SHEET

As-Built 3.19.10 K. Winslow