

TYPE:

CATALOG #:

COOPER LIGHTING®

DETAILS

NOTES TO USER

1---ASTM Grade steel base plate with ASTM A306 base corner.

2---No-die hole assembly 3" x 5" on on RTS poles.

3---Steel shaft minimum plate BLU600 PSL that blazed and painted with polystyrene powder coat.

4---Drilled or Tension Ingress.

5---Anchor bolt per ASTM A306 with (2) nuts, (2) flat washer, and (1) lock washer. Nuts, washers and threaded portion of bolt are hot dip galvanized. 3" hole for 3/4" bolt. 4" hole for 1" bolt.

FOUR BOLT ANCHORAGE (see ordering information)

No-Side Drive

No-Side Projection

All-Side Orientation

Q-Rich Diameter

Medium Connections

FINISH COLORS*

P-Dark Bronze

G-Galvanized

S-Silver

V-White

V-Black

**RTSROUND
TAPERED STEEL**

2' 0" - 6' 0"

Mounting Height

ROUND TAPERED STEEL

COOPER LIGHTING

AL14000000

ASHPALT

RETAINING WALL
(WHERE APPLICABLE)

BROOM FINISH PERPENDICULAR
TO LONG AXIS OF SIDEWALK

6"

5'

WIRE MESH

VDOT CLASS
A3 CONCRETE

4"-VDOT STD. #57
COARSE AGGREGATE

1/2" PREMOULDED
FIBER EXPANSION JOINT

1" DEEP, 1/4" WIDE
TOOLED CONTRACTION JOINT

EXPANSION JOINT @ 25'

CONTRACTION JOINT @ 5'

6" FLUSH SIDEWALK

NTS

NOTE: MATCH EXISTING WALK WIDTH WHEN NEW CONSTRUCTION ABUTS EXISTING WALK.

APPROVED
SEP 26 2008

										102 Albemarle Ave Roanoke, Virginia 24013 www.lmwpc.com ph: 540.345.0875 fax: 540.342.4456 lmweng@lmwpc.com									
										Engineering Architecture Landscape Design									
KROGER R-400 FUEL CENTER INSTALLATION CITY OF ROANOKE, VIRGINIA										DETAILS 2									
		08/05/08		PER ROANOKE CITY COMMENTS		CHW													
2		08/05/08		PER ROANOKE CITY COMMENTS		MCP													
1		06/05/08		PER ROANOKE CITY COMMENTS		BY													
		NO.		DATE		DESCRIPTION													
										RICHARD C. WHITE Lic. No. 200201 8-18-08 PROFESSIONAL ENGINEER									
Designed By										RCW									
Drawn By										MCP									
Checked By										RCW									
Approved By										RCW									
Submitted By										RCW									
Drawing										1997D									
Date										03/03/08									
Scale										NONE									
Commission No.										1997D									
Sheet										11 of 12									