
ON-SITE CONC. SIDEWALK




2016 ROAD & BRIDGE STANDARDS


5'-0" OR AS SHOWN ON PLAN EXISTING GRADE -1/2" EXPANSION 4" THICK CONCRETE S/W-JOINT BETWEEN * VARIES, MAXIMUM SLOPE 2:1 -COMPACTED SUBGRADE UNLESS SHOWN OTHERWISE -4" THICK AGGREGATE BASE VDOT No. 21A TYPICAL SIDEWALK without


PLANTING STRIP

CITY OF ROANOKE PUBLIC SIDEWALK AND JOINT DETAILS




2016 ROAD & BRIDGE STANDARDS





TYPICAL SIDEWALK with PLANTING STRIP




JOINT DETAILS


* UNLESS PLAN SHOWS OR SPECIFIES OTHERWISE. ** FIBERBOARD SHALL BE TRIMMED TO ALLOW FOR SEALANT. SEE PROJECT MANUAL SPECIFICATIONS FOR THE REQUIRED USE OF SEALANT.

City of Roanoke Planning, Building, & Development COMPREHENSIVE DEVELOPME

APPROVED

by Ken Richardson 07/13/2021






<u>ACCESSIBLE</u> PARKING SYMBOL LOCATE AT EDGE OF PARKING SPACE NEXT TO DRIVE AISLE

SPECIFICATION REFERENCE

105 502


UNLESS ACCOMPANIED BY "VAN" LETTERING



HANDICAP SIGN NOTES: 1. THE PROPOSED SIGNAGE SHALL BE INSTALLED PER ADA STANDARDS. 2. ALL SIGNS SHALL BE REFLECTORIZED 3. ALL SIGNS SHALL BE SECURELY MOUNTED TO A METAL SIGN POST. THE POST SHALL BE EMBEDDED IN CONCRETE AT THE BASE TO ENSURE STABILITY.

ALL HANDICAP PARKING SPACE SIGNS SHALL HAVE THE BOTTOM 4. EDGE OF THE SIGN NO LOWER THAN FOUR FEET NOR HIGHER THAN SEVEN FEET ABOVE THE PARKING SURFACE.

HANDICAP SIGN DETAIL NO SCALE



Lic. No. 47338

540.772.9580

ORANG AR S

KAM DRAWN BY BTC **DESIGNED BY** CHECKED BY BTC 6/11/2021 SCALE N/A

DATE

REVISIONS

CG-12

GENERAL NOTES:

ROAD AND BRIDGE STANDARDS

204.01

04/19