

GO BUILT
Hall
6-28-10

840' OF 8"

2 ea 45° bends
1-Hor.
1-vert.

* Note:

- Jae Valley rd crossing
is inside 18" steel
casing with spiders.
- Additional 45° vertical
bend was used to avoid
conflict with gas line &
storm sewer

APPROVED

VIRGINIA STATE PLANE SOUTH ZONE
NAD-83(CORS96)

GAY AND NEEL, INC.


**CIVIL ENGINEERING
LAND PLANNING
SURVEYING**

328 Mountain Avenue S.W.
Roanoke, Virginia 24016


Phone: (540) 345-1110 Fax: (440) 345-5560
E-mail: info@gayandneel.com

#1	07/10/2009	MPT	3rd Review
#2	07/28/2009	MPT	Final Review
mark	date	by	description
revisions			

DATE	MAY 31, 2009
PROJECT	08142-03
DESIGNED	MPT
DRAWN	MPT, RWA
CHECKED	RCM, TMK



RRMM
ARCHITECTS, PC
28 West Church Ave
Roanoke, VA 24011
(540)344-1212 / fax (540)344-1321



PROJECT MOUNT PLEASANT ELEMENTARY SCHOOL 2009 RENOVATIONS & ADDITIONS
ROANOKE COUNTY PUBLIC SCHOOLS
3216 MOUNT PLEASANT BOULEVARD
ROANOKE, VA
DRAWING OFFSITE WATERLINE (ALTERNATE)
VIRGINIA DEPARTMENT OF EDUCATION, 80-58D

GNI JN	2055.0
SHEET	
C4-02	

U:\Drawings\2055.0\Plans\C3D-2055.0-SP.dwg, 8/3/2009 11:12:35 AM, mtomlinson, RKE HP DesignJet 500.pc3, 1:1