



UTILITY RELOCATION NOTES:

- EXISTING STORM DRAIN, WATER LINE & GAS LINE TO BE ADJUSTED AS SHOWN. COORDINATE WORK WITH THE CITY OF ROANOKE, WYVA, & ROANOKE GAS.
- ISOLATION VALVE LOCATIONS FOR EXISTING 6" WATER LINE - 2 ISOLATION VALVE LOCATIONS EXIST. 1 AT INTERSECTION OF JEFFERSON ST. & HARRISON AVE. AND 1 AT INTERSECTION OF THE RELOCATED 6" WATER LINE & THE WATER LINE IN THE GAINSBORO AVE. RIGHT OF WAY. NOTIFY CITY OF ROANOKE FIRE MARSHALL AND WYVA PERSONNEL AT LEAST 5 DAYS PRIOR TO LINE ADJUSTMENT. SCHEDULE PRE CONSTRUCTION MEETING WITH APPROPRIATE FIRE DEPT. & WYVA PERSONNEL.
- WYVA INSPECTOR/ENGINEER SHALL BE ON SITE AT ALL TIMES DURING SERVICE INTERRUPTION. ONLY WYVA PERSONNEL MAY OPERATE MAIN LINE VALVES OR FIRE HYDRANTS.

LEGEND

ITEM	EXISTING	PROPOSED
PAVEMENT (STANDARD)		
CONCRETE		
CONCRETE CURB (CG-2)		
STORM DRAIN LINE	EX SD	18" RCP
SANITARY SEWER MANHOLE	SS	SS
SANITARY SEWER LINE	SS	SS
WATERLINE	W	W
LIGHT POLE	LP	LP
OVERHEAD ELECTRIC LINE	OHE	OHE
OVERHEAD TELEPHONE LINE	OHT	OHT
INDEX CONTOURS	1020	1020
INTERMEDIATE CONTOURS	1018	1018
UNDERGROUND GAS	GAS	GAS
UNDERGROUND TELEPHONE	UT	UT
SPOT ELEVATION	1021.5	1021.5

