


PROFILE	SURVIVED	BY	DATE
	PLOTTED GRADES CHECKED B. M.'s NOTED STRUCTURE NOTATIONS CHECKED		
NOTE BOOK			
No.			



- NOTES:
1. SANITARY SEWER & WATER LINE INSTALLATION SHALL BE IN ACCORDANCE WITH THE CITY OF ROANOKE STANDARDS AND SPECIFICATIONS.
 2. ALL STORM DRAIN STRUCTURES ARE TO BE IN ACCORDANCE WITH VIRGINIA DEPARTMENT OF HIGHWAY & TRANSPORTATION STANDARDS.
 3. ALL SANITARY SEWER LATERALS SHALL BE 8" AND ALL WATER LATERALS ARE TO BE 3/4".
 4. ALL EXISTING UTILITIES ARE SHOWN IN THEIR APPROXIMATE LOCATION AND ARE TO BE VERIFIED BY THE CONTRACTOR IN THE FIELD.
 5. SEE SHEET 4 OF 6 FOR DETAILED WATER AND DETAILED SEWER PLAN.
 6. SEE SHEET 5 OF 6 FOR SANITARY SEWER PROFILES.
 7. STORM DRAIN PIPE SHALL BE CLASS III, C-76 CONCRETE PIPE.

