

NOTE:

1. SEWER & WATER LINES SHALL CONFORM WITH "RULES, REGULATIONS, & CONSTRUCTION SPECIFICATIONS & STANDARDS", ROANOKE COUNTY PUBLIC SERVICE AUTHORITY, PUBLISHED 3 APRIL 1973.
2. SEWER & WATER LINES SHALL CONFORM TO VIRGINIA DEPARTMENT OF HEALTH REGULATIONS FOR VERTICAL &/OR HORIZONTAL CLEARANCE.
3. ALL INVERTS SHOWN ARE TO CENTERLINE OF MANHOLE. PRECAST MANHOLES SHOULD BE ORDERED ACCORDINGLY.
4. BENCHMARK IS ASSUMED 100.00 ON CONCRETE MONUMENT AS SHOWN ON MILLS & OBENCHAIN SITE PLAN.
5. DISTANCES SHOWN BETWEEN MANHOLES ARE HORIZONTAL DISTANCES MEASURED FROM CENTERLINE TO CENTERLINE OF MANHOLES.

IN

METHODIST CHURCH
PROPERTY

METHODIST CHURCH
PROPERTY

EXISTING 10" WATER & SEWER EASEMENT

GMAC

FUTURE
STORES
ELEV. 104

ADDN.
15 FEB 1973

WINN DIXIE
ELEV. 102

FUTURE STORES
ELEV. 100

NOTE: 1.5 MILES 4 TO 6.5
ABOVE ON 2.5 MILES
NORWOOD STREET
INTERSECTION AT
POINT OF INTERSECTION
OF 1.5 MILES TO 2.5 MILES

NOTE: CONCRETE ANCHORS SHALL
BE POURED AT EACH END
JOINT TO PREVENT DISMEMBERING
DUE TO SHOCK.

A circular professional seal for William A. Dusen, a Professional Engineer in the State of Virginia. The seal contains the text "STATE OF VIRGINIA", "WILLIAM A. DUSEN", "No. 6150", and "PROFESSIONAL ENGINEER". There is a handwritten signature "W.A.D." over the number 6150.

[illegible]