

MATCH LINE A2 - A1

MATCH LINE A2 - A3

1. Notify Plantation Pipeline before starting any work in this area phone # (704) 864-2603.
2. A minimum of 2' separation (vertical) required on any pipe crossing pipelines.
3. Contractor to provide Project Engineer with verification of all existing utilities within the 100 foot easement prior to construction.

Appalachian Power Company Easement Approval

By: _____
Date: _____

- LEGEND**
- SHOULDER CATCHMENT
 - DOUBLEWING CATCHMENT
 - MANHOLE / JUNCTION BOX
 - HEADWALL
 - CMP
 - S - SANITARY SEWER
 - W - WATER LINE (SIZE INDICATED)
 - B - BASEMENT UNIT
 - C - CONCRETE COLLAR WALL
 - R - RETAINING WALL
 - C - CLEANOUT
 - F - FIRE HYDRANT
 - V - WATER VALVE
 - A - ACCESS EASEMENT TO WATER TANK
 - CP - CONCRETE PIPE
- NOTED TO BE SHOWN IN THIS AREA

REV. 5/8/85
REV. DEC. 3, 1986 (The Electric Diggins Co.)
REV. AUG. 25, 1986

UTILITY PLAN

SUMMIT OAKS
A COLONY PROPERTIES DEVELOPMENT
ROANOKE VIRGINIA
MARCH 21, 1986

SCALE: 1"=30'
SCALE: 1"=30' TRAVIS PRUITT & ASSOCIATES, P.C.
CONSULTANTS, ENGINEERS & SURVEYORS
4223 MEMORIAL DR. SUITE B DECATUR, GEORGIA 30032
REVISED May 15, 1986
TELEPHONE: (404) 236-0117
REVISED AUGUST 1986 JULY 28, 1986