


**PRECONSTRUCTION:**  
 SANITARY AND WATER LINES SHALL BE STAKED PRIOR TO ANY EXCAVATION IN ORDER THAT AFFECTED TREES CAN BE RELOCATED OR SANITARY AND WATER LINES BE REPOSITIONED.  
 SANITARY AND WATER LINES SHOULD BE LOCATED AT LEAST 7'-6" FROM PROPERTY LINES. IF THIS IS NOT POSSIBLE AN ADDITIONAL EASEMENT WILL BE REQUIRED.

**AS-BUILT**  
**APPROVED:**  
*Edward R. Tucker* 11/6/86  
 AGENT FOR ROANOKE CITY PLANNING COMMISSION / DATE  
*Charles M. Haffner* 11/6/86  
 CITY ENGINEER, CITY OF ROANOKE VIRGINIA / DATE

Revisions	Project Number
	348.01
	Date
	09/03/86
	Drawn By
	CAD
	Checked By
	ECJ
	Approved By
	ECJ

**P 3**  
 Sheet Number 3 of 6

# SANITARY SEWER AND WATER MAIN EXTENSIONS PLAN VALLEY VIEW SUB-DIVISION



**M E P S**  
 ASSOCIATES, INC.

ENGINEERING CONSULTANTS  
 P.O. BOX 2685  
 8000 Corporate Center Drive  
 Charlotte, N.C. 28211  
 (704) 542-3513