

PROPOSED CONCRETE SWALE DETAIL

PROPOSED CONCRETE SIDEWALK CROSS-SECTION




4 INCHES CONCRETE SIDEWALK (BROOM FINISH)

4 INCHES COMPACTED AGGREGATE BASE

COMPACTED NATIVE SOILS

PROPOSED CONCRETE APRON CROSS-SECTION



KNOX BOX NOTES:


- 1 KNOX BOX PROPOSED NEXT TO DOOR IN NORTHEAST CORNER OF BUILDING THIS LOCATION SHALL BE APPROVED BY FIRE MARSHALL OR HIS/HER ASSIGNEE
- 2. KNOX BOX SHALL BE MOUNTED TO BUILDING EXTERIOR BETWEEN 5 AND 6 FEET ABOVE FINISH GRADE
- 3. KNOX BOX SHALL BE HINGED TYPE: "LIFT-OFF" LIDS ARE NOT PERMITTED.
- 4. KNOX BOX SHALL CONTAIN KEYS TO PROVIDE ACCESS TO ALL PORTIONS OF THE BUILDING AND ONE ELECTRICAL PANEL KEY.

City of Roanoke Planning, Building, & Developmen

APPROVED

by Ken Richardson





SAWCUT NOTCH IN CURB



COMMISSION INC.

= ROANOKE REGIONAL AIRPORT BUILDER = G&H CONTRACTING, TAX PARCEL ID: 6590101 CITY OF ROANOKE, VIRGINIA

Carvins Cove n, VA 24153

BME JOB# 19-024 SHEET NAME

LAYOUT PLAN SHEET NUMBER

4 OF 8