

OF ROANOKE
, CURB AND
EMENT.
APRON SECTION
DUMPSTER PAD"
C6.01.

SMH
TOP ELEV. = 988.76
INV. IN 8" TOP = 982.16
INV. OUT 8" T.C.P. = 981.66

APCO #278-49

CONN BY
UTIL DEPT
WATER VAULT & STUB
BY UTIL DEPT
60'

VDOT STD
CG-6 W/ DRY
PAN GUTTER,
MATCH EXIST
GUTTER WIDTH

TRAFFIC BOLLARD
(TYP OF 2)
SEE DUMPSTER
DETAILS ON
SHT. C1.01

DUMPSTER
PAD

MURRAY AVENUE
12" W
CONC. WALK
STONE WALL
N47°55'00"E
350.26'

3" IN 20'
DEVIATION
MAXIMUM

BEGIN AT END OF
DEMO TIE TO EXIST CURB

LOCATION TO BE
COORD WITH CITY OF
ROANOKE UTIL DEPT

30' M.B.L.

NO CURB
TRAFFIC BOLLARDS
(TYP OF 2)

TRAFFIC BOLLARD
SMH
TOP ELEV. = 1001.93
INV. IN 8" T.C.P. = 992.70
INV. OUT 8" T.C.P. = 992.70
INV. IN 6" PVC = 992.91 (NEW)

4" DRAIN HUB COORD. W/ MECH.

SHEET NOTES:
1. SEE MECHANICAL DWGS FOR COOLING TOWER
PIPING MATERIALS AND INSTALLATION.
2. ALL GAS PIPING, TRENCHING, MATERIALS AND
METER BY GAS COMPANY. CONCRETE PAD
FOR METER SHALL BE INSTALLED BY THE
CONTRACTOR PRIOR TO GAS CO. WORK.


SMH
TOP. ELEV. = 985.10
INV. IN 8" = 975.81
INV. OUT 8" = 975.81

BLDG. CORN.
N 3629317.33
E 11065792.51

ABANDONED 4" C.I. WATERLINE

FILLED WITH
CONCRETE

SEE GENERAL LEGEND ON C1.02
GRAPHIC SCALE



BLDG. CORN.
N 3629229.17
E 11065764.94

BLDG. CORN.
N 3629229.17
E 11065764.94

NEW 3" CW
SERVICE
NEW GAS SERV.
ENTRANCE
NEW GAS MTR.
ON 2.5'x2.5'x2"
CONC. PAD

SEE PLUMB. SHEETS
FOR FURTHER INFO.

GREASE TRAP (TO REMAIN)

EXIST. 3" CW
SERV. TO REMAIN

JACKSON MIDDLE
SCHOOL

STONEWALL
JACKSON
MIDDLE
SCHOOL


STATE PROJECT NO:
124-230

ROANOKE CITY
PUBLIC SCHOOLS
ROANOKE, VIRGINIA

ENLARGED SITE PLAN

PROJECT NO
9302000

SHEET NO
C1.04



ARCHITECTURE
PLANNING
INTERIORS

510 FIRST STREET
P.O. BOX 2811
703-244-1812
SUITE 300
ROANOKE, VA 24010
FAX 844-1881




1225 Mountain Avenue, Roanoke, Virginia 24016, 703-345-9020, FAX 703-345-6833

AMERICAN CONSULTING
ENGINEERS COUNCIL



Member of ACEC
Providing Excellence
in Engineering



DATE	APRIL 2, 1995
DRAWN BY	RNP
CHECKED BY	CS
REVISION	DATE