



MATCH LINE A2 - A1

MATCH LINE A2 - A3

1. Notify Plantation Pipeline before starting any work in this area phone (704) 864-2603.
2. A minimum of 2'-0" separation (vertical) required on any pipe crossing pipeline.
3. Contractor to provide Project Engineer with verification of all existing utilities within the 100 foot easement prior to construction.

Appalachian Power Company Easement Approval

By: _____
Date: _____

- LEGEND**
- TREES TO BE SAVED IN THIS AREA
 - SINGLEWING CATCHBASIN
 - DOUBLEWING CATCHBASIN
 - MANHOLE / JUNCTION BOX
 - HEADWALL
 - C.M.P.
 - S-SANITARY SEWER
 - W-WATER LINE (SIZE INDICATED)
 - BASEMENT UNIT
 - CONCRETE COLLAR WALL
 - RETAINING WALL
 - CLEANOUT
 - FIRE HYDRANT
 - WATER VALVE
 - ACCESS EASEMENT TO WATER TANK
 - CP CONCRETE PIPE

Rev. Sept. 18, 1986
Rev. Dec. 5, 1986 (Revised Drains)

Rev. Aug. 25, 1984

UTILITY PLAN

SUMMIT OAKS
A COLONY PROPERTIES DEVELOPMENT
ROANOKE MARCH 21,
VIRGINIA 1986

SCALE: 1" = 30'
4283 MEMORIAL DR. SUITE B DECATUR, GEORGIA 30032
TELEPHONE: 404/258-0127

Revised May 15, 1986

SHEET A-2