


KEYNOTES:

- 1 8" DUCTILE IRON PIPE AND VALVE TO BE USED TO DEWATER POND. REFER TO SHEET C-21 FOR PROFILE OF POND OUTFALL.
- 2 5' WIDE X 4' TALL BOX CULVERT AT 0%. INVERT 6" BELOW WET POND ELEVATION.

GENERAL NOTES:

1. THE FINISH GRADE CONTOURS SHOWN AROUND THE POND ARE AT 1-FOOT INTERVALS.
2. THE EXISTING GRADE CONTOURS SHOWN HEREON ARE AT 2-FOOT INTERVALS.
3. CONTRACTOR SHALL PROVIDE 2 CONCRETE FILLED, METAL BOLLARDS ON EITHER SIDE OF THE GRAVEL ACCESS DRIVE. EACH BOLLARD SHALL HAVE AN EYE BOLT SET 3" FROM THE TOP OF THE BOLLARD.

THE HOMEOWNER'S ASSOCIATION OF "THE VILLAGE AT TINKER CREEK" SHALL BE SOLELY RESPONSIBLE FOR THE OPERATION AND MAINTENANCE OF THE STORMWATER MANAGEMENT FACILITY SHOWN HEREON. THE FACILITY WILL NOT BE ELIGIBLE FOR ACCEPTANCE INTO THE ROANOKE COUNTY STORMWATER MAINTENANCE PROGRAM.



THE VILLAGE AT TINKER CREEK -- PHASE I

STORMWATER MANAGEMENT POND - ENLARGED PLAN

ROANOKE COUNTY, VIRGINIA

Vertical Scale:
N/A

Horizontal Scale:
1"=30'

Commission Number:
1966

Sheet No.:

C-20

Mattern & Craig
CONSULTING ENGINEERS • SURVEYORS
701 FIRST STREET, S.W.
ROANOKE, VIRGINIA 24016
(540) 345-9342
FAX (540) 345-7891

Issue Date:
4/19/02
Drawn By: ARB
Designed By: JPR
Checked By: WTA
Date: 4/19/02

Revisions

Date

