



- NOTES:
- 1 VERTICAL MASONRY WALL REINFORCEMENT SHALL BE #6 @ 40" OC. IN FULLY GROUTED CELLS. PROVIDE #6 BAR AT ALL CORNERS AND ADJACENT TO ALL OPENINGS.
 - 2 INTERIOR MASONRY WALLS TO BE FULL HEIGHT. FILL UNGROUTED CELLS WITH CORE-FILL 500 OR EQUAL.
 - 3 DIMENSIONS GIVEN ARE TO NOMINAL FACE OF MASONRY
 - 4 SEE DRAWING NO. A2 FOR DOOR SCHEDULE.
 - 5 SEE DRAWING NO. A1 FOR ROOM FINISH SCHEDULE.
 - 6 SEE DETAIL 68/A662.
 - 7 8" MIN BEARING- SEE DETAIL 23/A5.

BOTTOM PLAN
1/4"=1'-0"

			DESIGNED <u>WHR/DAW</u>			RECORD DRAWING			CITY OF ROANOKE VIRGINIA			DISINFECTION CHEMICAL FEED FACILITIES			THE SCALE BAR SHOWN BELOW MEASURES ONE INCH LONG ON THE ORIGINAL DRAWING.			DATE JULY 2003	
			DRAWN <u>ALB/DAW</u>															H & S JOB NUMBER 30788A	
			CHECKED			THIS DRAWING HAS BEEN MODIFIED TO REFLECT FIELD CHANGES REPORTED BY THE CONTRACTOR OR ANOTHER PARTY, BUT NOT VERIFIED BY THE CERTIFYING ENGINEER. THIS DOCUMENT ORIGINALLY ISSUED AND SEALED BY WILLIAM H. RUSSELL, SEAL NUMBER 008532. THIS MEDIA SHALL NOT BE CONSIDERED A CERTIFIED DOCUMENT.			HAZEN AND SAWYER Environmental Engineers & Scientists 4011 WestChase Blvd, Raleigh, North Carolina 27607			REGIONAL WATER POLLUTION CONTROL PLANT WET WEATHER IMPROVEMENTS			ARCHITECTURAL BOTTOM PLAN			CONTRACT NUMBER A DRAWING NUMBER A660	
RECORD DRAWINGS			MAR 2008																
CONSTRUCTION			MAR 2004			RLT			THIS DOCUMENT ORIGINALLY ISSUED FOR CONSTRUCTION AND SEALED BY RONALD L. TAYLOR, SEAL NO. 024649										
REGULATORY APPROVAL			NOV 2003			RLT													
PRELIMINARY DESIGN			NOV 2002			RLT			APPROVED										
ISSUED FOR			DATE			BY													
NO.																			