

			DESIGNED	WHR
			DRAWN	ALB/DAW
			CHECKED	
3	RECORD DRAWING	JAN 2006	RLT	PROJ. ENGR. DAN
2	CONSTRUCTION	JAN 2004	RLT	
1	REGULATORY APPROVAL	NOV 2003	RLT	
NO.	ISSUED FOR	DATE	BY	APPROVED

THIS DOCUMENT ORIGINALLY ISSUED
FOR CONSTRUCTION AND SEALED BY
RONALD L. TAYLOR, SEAL NO. 024649

THIS DRAWING HAS BEEN MODIFIED TO REFLECT FIELD CHANGES REPORTED BY THE CONTRACTOR OR ANOTHER PARTY, BUT NOT VERIFIED BY THE CERTIFYING ENGINEER. THIS DOCUMENT ORIGINALLY ISSUED AND SEALED BY WILLIAM H. RUSSELL, SEAL NUMBER 008532. THIS MEDIA SHALL NOT BE CONSIDERED A CERTIFIED DOCUMENT.

HAZEN AND SAWYER
Environmental Engineers & Scientists
4011 WestChase Blvd, Raleigh, North Carolina 27607

REGIONAL WATER POLLUTION CONTROL PLANT PROCESS TRAIN IMPROVEMENTS

ROOM FINISH, WINDOW SCHEDULES, AND WINDOW TYPES

INCH LONG ON THE ORIGINAL DRAWING.	CONTRACT NUMBER C	DRAWING NUMBER A1
--	--------------------------------	--------------------------------

GLAZING TYPES	
I-1	1" INSULATED LOW-E GLASS (TYPICAL UNLESS OTHERWISE INDICATED)
I-2	5/8" INSULATED LOW- E GLASS (TYP, UNO)
S-1	1/4" TEMPERED GLASS

I-1 1" INSULATED LOW-E GLASS (TYPICAL UNLESS OTHERWISE INDICATED)
I-2 5/8" INSULATED LOW-E GLASS (TYP, UNO)
S-1 1/4" TEMPERED GLASS

Figure 1: Window Schedule. The figure displays 18 window details (A through R) with their respective dimensions and configurations.

- Details A, B, C, D, E, F, G:** Double-hung windows.
 - A:** 4'-0" wide, 6'-5 1/4" high. Includes "NOTE 2".
 - B:** 5'-0" wide, 5'-0" high.
 - C:** 4'-0" wide, 5'-5 1/4" high.
 - D:** 3'-2" wide, 5'-5 1/4" high. Includes "NOTE 1".
 - E:** 3'-4" wide, 4'-1 1/4" high.
 - F:** 4'-0" wide, 3'-1 1/4" high. Includes "NOTE 1" and "INDICATES OPERABLE SASH".
 - G:** 3'-4" wide, 6'-5 1/4" high.
- Details M, N, O, P, R:** Single-hung windows.
 - M:** 5'-3" wide, 6'-7" high. Includes "NOTE 3, 4".
 - N:** 5'-4" wide, 6'-8" high.
 - O:** 3'-10" wide, 6'-11" high.
 - P:** 4'-0" wide, 7'-0" high.
 - R:** 4'-0" wide, 4'-0" high. Includes "3'-4" AFF".
- Detail Q:** Horizontal slider window, 10'-0" wide, 3'-4" high.

Notes:

- NOTE 1:** Applies to details D, F, and G.
- NOTE 2:** Applies to detail A.
- NOTE 3:** Applies to detail O.

Legend: A dashed line in the sash area indicates an operable sash.

MULLION POST DIMENSION AS NECESSARY TO ACHIEVE 10 DEG.
BOW.

2 PROVIDE TRANSLUCENT GLASS IN WINDOW TYPE A LOCATED IN
ROOMS 920, 921, 922 AND 924.

3 FIELD VERIFY DIMENSIONS OF EXISTING OPENINGS PRIOR TO
FABRICATION.

4 PROVIDE TRANSLUCENT GLASS IN WINDOW TYPE M LOCATED IN
ROOMS 960, 961, AND 962.