



NOTES:

- FURNITURE SHOWN IN ROOM 908 BY OWNER.
- PROVIDE 4" BACKSPLASH WHERE STANDING AND SITTING HEIGHT CASEWORK ARE ADJACENT. EXTEND SITTING HEIGHT BACKSPLASH TO MATCH STANDING HEIGHT BACKSPLASH.
- DRAWINGS SHOW PRIMARY CASEWORK PART NUMBERS FROM FISHER HAMILTON. PROVIDE FILLER PANELS, LEG SUPPORTS, KNEE SPACE PANELS, END SUPPORT PANELS, AND ADDITIONAL ACCESSORIES AS REQUIRED TO SUPPORT COUNTERTOP AND FULLY CONCEAL CHASE.
- WIRE MOLD TO BE INSTALLED DIRECTLY ABOVE BACKSPLASH. COORDINATE WITH ELECTRICAL.
- SEE MECHANICAL DRAWINGS FOR FUME HOOD CONFIGURATIONS.
- SINKS TO BE EPOXY 11" DEEP AND AS CONFIGURED ON DRAWINGS. PROVIDE LARGEST SINK POSSIBLE TO FIT IN CASEWORK.
- INSTALL PIPES AND CONDUITS IN WALLS, EXCEPT WHERE CHASES ARE SHOWN. CHASES TO BE CONSTRUCTED OF 18 GA METAL AND FINISHED TO MATCH REAGENT SHELVING. CHASES TO EXTEND 2" ABOVE CEILING. BRACE AND SUPPORT TO CREATE A RIGID CHASE. PROVIDE ACCESS PANELS TO ACCESS CONNECTIONS AND VALVES.
- EXISTING COLUMN TO REMAIN. COLUMN TO BE CONCEALED IN NEW SOFT WALL.
- EXISTING DOOR FRAME TO REMAIN AFTER REMOVAL OF EXISTING DOORS.

LEGEND	
DI	DEIONIZED WATER
A	AIR
V	VACUUM
C	WATER

1 LABORATORY PLAN  
A901 1/4"=1'-0"

DESIGNED	WHR
DRAWN	ALB/LRU
CHECKED	
PROJ. ENGR.	DAN
APPROVED	
NO.	
3	RECORD DRAWING
2	CONSTRUCTION
1	REGULATORY APPROVAL
NO.	ISSUED FOR
DATE	BY

THIS DOCUMENT ORIGINALLY ISSUED FOR CONSTRUCTION AND SEALED BY ROBERT S. DIFIORE, SEAL NO. 22769

RECORD DRAWING

THIS DRAWING HAS BEEN MODIFIED TO REFLECT FIELD CHANGES REPORTED BY THE CONTRACTOR OR ANOTHER PARTY, BUT NOT VERIFIED BY THE CERTIFYING ENGINEER. THIS DOCUMENT ORIGINALLY ISSUED AND SEALED BY WILLIAM H. RUSSELL, SEAL NUMBER 008532. THIS MEDIA SHALL NOT BE CONSIDERED A CERTIFIED DOCUMENT.

THIS DOCUMENT ORIGINALLY ISSUED FOR CONSTRUCTION AND SEALED BY RONALD L. TAYLOR, SEAL NO. 024649

**HAZEN AND SAWYER**  
Environmental Engineers & Scientists  
4011 WestChase Blvd, Raleigh, North Carolina 27607

CITY OF ROANOKE  
VIRGINIA

REGIONAL WATER POLLUTION CONTROL PLANT  
PROCESS TRAIN IMPROVEMENTS

OPERATIONS/LABORATORY BUILDING MODIFICATIONS  
ARCHITECTURAL  
LABORATORY PLAN AND DETAILS

THE SCALE BAR SHOWN BELOW MEASURES ONE INCH LONG ON THE ORIGINAL DRAWING.	DATE	JANUARY 2004
	H & S JOB NUMBER	30788C
	CONTRACT NUMBER	C
	DRAWING NUMBER	A903